TRANSFORMERS AND ELECTRICALS KERALA LIMITED

(A Joint Venture of Goverment of Kerala & NTPC Limited) Angamally South P.O., Ernakulam Dist., Kerala, India, Pin: 683573, www.telk.com Phone: 0484 2510251, 2510 ext:330,331,332,334 Fax: 2458995, 2452873 (Angamally) CIN: U31102KL1963SGC002043, Email: contracts@telk.com

ENQUIRY LETTER (OFFICE COPY)

Ref. : PUR/AMM1/24/51	Page : 1 Date : 17/10/24
As Per List Attached	PR No.: PP/51/B

1 162	Description SILVER&TIN PLATING-TK205506R7A				
	TIN & SILVER PLATING ON CENTRE CONDUCTOR AS PER TK 205506R7A. UNDER COATING 20 MICRONS CU. SILVER/TIN PLATING 15MICRONS MIN.AS PER STANDARDS IS:1771-1986. IS:2450-1963. IS:5925-1970. SILVER PLATING AREA FOR AIR END TERMINALS-0.147 SQ.METER PER BUSHING. TIN PLATING AREA FOR OIL END	NO	7.000	20/01/25	Qty. 7.000
333033601	TERMINALS-0.0452 SQ.METER PER BUSHING. TK205506R7A CENTRE CONDUCTOR	NO			
2. Taxes 3. Validity 4. Delivery 5. LD	<ul> <li>Price should be quoted a Angamally / F.O.R. Angar</li> <li>If any tax has to be par- be specified clearly in</li> <li>The quotation should be from the date of opening</li> <li>Delivery is required as</li> <li>LD @ 1% per week or part order value will be app agreed dates</li> <li>ditions : Please see Annexure.</li> </ul>	nally. id extra your quo e valid : g of tend above. t there o plicable	, this and to otation. for minimum der. of subject to for delived	the rate of period of to a maximur	tax should 60 days n of 10% of
Note : Quotatio Superscribed Te Due on Quotation not e	n should be sent in Sealed Cover nder No. : AMM1/24/51 : 04/11/24 nclosed in sealed cover and that the due date will be rejected.		Yours	faithfully,	

	1 A ME				SPEC SHEE	T					ED 013
DISTRIBUTIC	N: ØPP	DQA DPW	DAS D		V DOD DOLTC		GCB DE				
TYP	E OF CH	HANGE		RI	EASON FOR CHA	ANGE				PROGR	
□Material	□Worki	ng Order	□ Miste	ake in Estimate	Inadequate Stre	ngth 🗌 Shop R	Requirement	Under Pro	curement	Inserv	ice
Dimension	Acces	sory Change	□ Misto	ake in Drawing	Inadequate Pert	ormance 🗆 Not Ap	plicable	□Not Manuf		Repair	
Process	🗆 Faste	ner Change	□ Misto	ske in Connection	Customer Requi	irement 🗆		Under Mar		g 🗌 Repair	at works
Pur. spec.		Applicable		ake in Construction	QA Requirement			Under Tes			
USTOMER	IPCIL KA	AIGA PRODUCT	24kV 12.5	(A CST-HA Bg QTY.	JOB ORDER N		SPEC No		ECT PL		HICKNESS
THE FOLLOWI	NG SHALL	BE Procured	Allo	tted 🗹 Manufactu	red Tested	Cancelled	Added	Modified			
Qty. Item	· Shop	Drawing No.	Part	Part Name	Code No.	Material	Size of	Raw Material (mm	) Mas	s (kg)	SIGN.
No.	enep		No.				Thick.	Width X Length	Raw	Fin.	(Initial wit Designatio
		· · · · · · · · · · · · · · · · · · ·	S. S. S. S.								& Date)
						and an and the				-	
	g thickn	2 of this job ess of air end		o. al and oil end t	erminals of cer	tre conductor	ТК205506	R7A should	be as		ristickd.
	Silver pla	ating – 10µm									
	Fin platir	ng — 15µm									appd.
		1 2 2 2 2 2 2									-

Recd. by

# GENERAL CONDITIONS OF CONTRACT

#### 1. Submission of Tender :

- 1.1 The quotations shall be submitted either in sealed cover or emailed to telktenders@gmail.com so as to deliver before the due date. Quotations emailed to any other email addresses are liable to be rejected.
- 1.2 The tender will be considered FIRM for acceptance for a period of 60 days from the date of opening of the tenders. The bidders will not be free to withdraw or modify their tender within this period, except at the risk of forfeiture to the Company of the Earnest Money deposited if any. If it is found necessary to keep the tender open for a further period, prior consent of the bidder shall be taken in writing for every further period.
- 1.3 The contractor shall submit all tender documents with signature and seal on all pages of the tender documents as a token of its acceptance and all the terms and conditions mentioned therein.

### 2. Acceptance of Tender :

- 2.1 Tenders submitted incomplete in any respect such as unattested corrections in rates, quantities, units or amounts, figures not expressed in words, totals of contract not entered etc. are liable to rejection.
- 2.2 Tenders which are not in conformity with this tender notice are liable for rejection.
- 2.3 The right to carry out the work either in conformity with or in a manner entirely different from the terms of this invitation that may be considered most suitable before or subsequent to the receipt of tenders due to exigencies, is reserved with the Company.

# 3. Quality :

The Goods shall be supplied conforming to the description/specifications/samples referred in the order/tender or agreed to upon in writing or otherwise.

## 4. Terms of payment :

Payment will be made through NEFT within 45 days of receipt and acceptance of material at our Stores, Angamaly unless otherwise specified.

### 5. Taxes, Levies & Statutory Deductions :

GST if applicable shall be mentioned separately in the quotation and will be paid extra as applicable on producing documentary evidence. Statutory deductions like TDS or as applicable will be deducted from the bills as per Rules.

### 6. Liquidated Damages:

Liquidated Damages at the rate of 1% per week subject to a maximum of 10% of the order value or as applicable in the Purchase/Work Order will be levied for deliveries beyond the mutually agreed date mentioned in the order.

- 7. Evaluation of the Offers shall be on the basis of "To-Door Cost at TELK, Angamaly" based on NET Cash outflow of TELK.
- 8. The Contractor shall not without the previous written approval of the Company sub contract in respect of any matter touching this contract and the Company shall not be bound by any such sub contract executed by the Contractor without its approval.
- 9. Any further information necessary can be obtained from the office on all working days during office hours.
- For technical qualification we will be evaluating supplier's capability to supply quality material for the entire ordered quantity, past performance references and commercial terms offered.
- 11. In case the lowest bidder (L1) is not a registered / approved supplier of TELK, Angamaly, they will be allowed to supply the items only after evaluation by TELK authorities and enlisting as approved/registered supplier. They shall submit duly filled vendor capability report/supplier registration requisition form available in our website www.telk.com.
- 12. In case L1 is a new supplier to TELK, L2 may also be considered in order to meet urgent requirements.
- 13. TELK has the right to split the order quantities to various parties to meet our delivery commitments.
- **14.** Jurisdiction : Any dispute arising out of this contract will be subject to the jurisdiction of courts having jurisdiction only over the area in which our factory situates.

- 15. Transit insurance for the materials in the scope of supply shall be arranged by the supplier/contractor.
- 16. Right to Accept or Reject the Tenders:
- 16.1 The right to accept the tender in full or in part/parts will rest with TELK.
- 16.2 Tenders not accompanied with prescribed information or are incomplete in any respect, and/or not meeting prescribed conditions, shall be considered as non-responsive and are liable to be rejected.
- 16.3 TELK reserves the right to accept or reject any bid or a part of the bid or to annul the bidding process and reject all bids, at any time prior to award of contract without assigning any reason whatsoever and without thereby incurring any liability to the affected bidder or bidders on the grounds for the Buyer's action.
- 16.4 If the bidder gives wrong information in his tender, TELK reserves the right to reject such tender at any stage or to cancel the contract.
- 16.5 Bidder is requested to furnish all the details called for in the tender. In case any required data/information is/are not furnished in the offer, Purchaser reserves the right to assume the same for the purpose of evaluation/comparison and decide the Tender accordingly.
- 16.6 In case special conditions are mentioned in the tender documents, the same shall prevail over the General Terms & Conditions.
- 16.7 TELK reserve the right to procure the goods/execute the contract from elsewhere at your risk and cost in the event of failure to supply/execute the contract within the stipulated time.
- 16.8 TELK reserves the right to reject the bid of parties who have failed to meet contractual delivery/provide adequate after sales support for the products supplied against earlier orders.

# 17. SPECIAL CONDITIONS OF SUB-CONTRACT:


- 17.1 The materials for Electroplating shall be collected by the sub-Contractor from TELK Stores at Angamaly and returned to the Stores after completing the process at sub-contractor's cost and risk.
- 17.2 The rate quoted shall be exclusive of GST. GST if applicable shall be mentioned separately. Applicable GST will be paid extra on producing documentary evidence.
- 17.3 The rate quoted shall include all charges for transportation, labour, materials and incidental expenses if any for the complete execution of the contract.
- 17.4 The contractor shall compensate to the losses / damages if any caused to the conductors during the execution of the contract.
- 17.5 Necessary cleaning and polishing shall be carried out by the sub-contractor to make the surfaces scratch free smooth.
- 17.6 TELK reserves the right to enhance the quantity by 25% or reduce the order quantity and also to terminate the contract at any time without assigning any reason whatsoever.
- 17.7 TELK reserves the right to inspect / witness the processes and the processed material given for Electro-plating at any point of time at the premises of the Sub-Contractors.
- 17.8 Delivery schedule given is tentative. Separate release orders or instructions will be issued from time to time indicating the quantity and delivery dates.
- 17.9 TDS and all other statutory levies as applicable will be deducted from the bill of sub-contractor.
- 17.10 The contract shall be generally valid for a period of one year from the date of awarding the work order. Hence, rate quoted shall be valid for a period of one year from the date of work order issued.
- 17.11 Payment shall be made within 45 days of receipt of processed materials at TELK Stores and its acceptance. However, interest will not be paid for any delay in making the payment.
- 17.12 Liquidated Damages @ 1% per week subject to a maximum of 10% of the basic order value or as applicable in the work order will be levied for deliveries beyond the mutually agreed dates mentioned in the work order.

Sr. Manager (Contracts & Materials)

SI. No.	Description	Total Qty.	Basic Rate per No. (without GST) (Rs)	
1.	Rate for Silver and Tin Plating on centre conductor, TK205506R7A as per specifications in the enquiry.	7 Nos.		
2.	GST if applicable (%)			
3.	Qty. that can be processed in a batch	(Nos.)		
4.	Maximum time schedule required to proce delivering at TELK Stores	days		

# RATE SCHEDULE FORMAT

Authorized Signatory with seal



						3		TF NO	the second second	
(2)	APPROVED	Dimers Plating D Groore Wedin	corrected, not added drmensfor c g details mod	silver P.S		o.Br 3R		NG. P		10
3.5 - A	7	3 SPOT FA	CING ON PART (S ADD CD CONDUCTOR MODIFIED AS	ADDED CAM	RMA 11.1	11.93 60	ondu cha	terominals R Changed	K Mp 202	TK2
45°	RMA	5 DETAILS OF	TERMINALS WEL	DING JM JOH	6.11.			WALIEV	and the set is the second	
	·3-6	)	Γ				1-1-1-12	Rmam	123 3	98
		а. -		3		4	$\sim$			
PETAIL AT 'B' BEFORE	WELDING		6	- F	108		3	~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~		
N Q	0	(M/G)		45°	DETAIL O	F (3) BE	FOREW	ELDING		
	2 4	$\sim$		/						
<u><u><u></u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u><u></u></u>		LECT: CONT: TIN PLATIN	SURFACE.	11/			1			
	) 6	3.	1	11				111	\ \	
		1891 V	DLEXANOS.	116	/+		111	1//	1.	
<u>он вотн</u>		8				_				
	Ť 17	120								
000 +1							/	11		
2224		8			-		1/1			
	20 A0	20	- // /	1 11		_/	FI		//	*
			11	11 11		- /		///	/	
	<del>«</del> 80		. //					///		
->6-	<u>&lt; 80</u>									
->6-	< 80 -									
	< 80 - - 90			29 19			A A	24		
	-		· · · · · · · · · · · · · · · · · · ·	29 19	150 +		10	24 A		
110	-			24 19			10	24 Å		
110	90			29 19				4 A		
110	90		-	29 19				24 A		
110 120 120	90		8		150 +	40.		190×190	2.262	71/2
110 120 9500/19501 AS PER	90		8 7 5 5	CAP CAP	150 +	40. AL: ALLOY AL: ALLOY	20	205 × 205 349 × 349	8.000 5	.700
9500/19501 AS PER PER	90		8 7 5 4 3	САР САР ТЕВЮЈНАL ТЕВЮЈНАL		AL: ALLOY AL: ALLOY AL: ALLOY	25 · 25 <b>2</b> 0	205×205 349×349 265×145	8.000 5	-700 2.20 740
9500/19501 AS PER PER	90	1 2 2 1 1	8           7           5           4           3           2           1	CAP CAP TEBMINAL	150 to	AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY. AL: ALLOY.	25 20 25 20 25 20 15 22 5 16 \$ 12 25 16 \$ 12 20	205 × 205 349 × 349 265 × 145 125 × 95 125 × 95 145 × 555 145 × 555 225 × 555	8.000 5 2.100 f 0.950 9 14.71 1 10.709 10 20.42 1 18.150 H	-700 -740 -740 -500 -4.36 -900 -900
110 120 120 120 120 120 120 120	90		9 7 6 5 4 3 2 1 5 5 4 1 5 5 7 6 5 7 6 7 7 6 7 7 6 7 7 7 7 7 7 7	САР САР САР ТЕВЮІНАL ТЕВЮІНАL СЕНТВЕ СОНДИСТОЯ	150 to	40. AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY. AL: ALLOY.	25 20 25 20 25 20 15 12 22 -5 16 5 42 20 THICKNESS	205 x 205 349 x 349 205 x 145 125 x 95 125 x 95 125 x 95 125 x 95 225 07 565 225 07 565 225 07 565 225 07 585 WIDTHXLENGTH	8.000 5 2.100 f 0.950 9 14.71 1 10.709 10 20.42 1 18.150 H	-700 -740 -740 -500 -74 -500 -74 -500 -74 -500 -74 -500 -74 -500 -74 -500 -74 -500 -74 -500 -74 -500 -74 -740 -740 -740 -740 -740 -740 -74
9500/19501 AS PER PEB_ ETEST 1.5kg/cm <sup>2</sup> For 30min. SSURF	90		9 7 6 5 4 3 2 1 SHOP PART NO. BUNONDA	САР САР САР ТЕВЮЈНАL ТЕВЮЈНАL СЕНТВЕ СОНОИСТОР СЕНТВЕ СОНОИСТОР РАПТ NAME	150 to	AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY. AL: ALLOY. AL: ALLOY.	25 20 25 20 25 20 15 12 22 -5 16 5 42 20 THICKNESS	205 x 205 349 x 349 205 x 145 125 x 95 125 x 95 125 x 95 125 x 95 225 y 2585 WIDTHXLENGTH	8.000 5 2.100 5 2.100 5 2.100 5 0.500 5 14.71 1 10.700 10 20.42 1 13.150 11 RAW FIL	-700 -740 -740 -500 -74 -500 -74 -500 -74 -500 -74 -500 -74 -500 -74 -500 -74 -500 -74 -500 -74 -500 -74 -740 -740 -740 -740 -740 -740 -74
9500/19501 AS PER PEB E TEST 1.5kg/cm <sup>2</sup> For 30min.	90		9       7       6       5       4       3       2       1       SHOP       PART       NO.       BUINOW       DRN       P.SAD       MSD	CAP CAP CAP IEBMINAL TEBMINAL CENTRE CONDUCTOR CENTRE CONDUCTOR PART NAME PART NAME	ISD to THIRD AND	AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY. AL: ALLOY. OF MATL. OF MATL.	25 20 25 20 75 22 5 75 22 5 16 5 22 5 16 5 22 5 THICKNESS SIZE O	205 × 205 349 × 349 265 × 145 125 × 95 125 × 95 15 00 × 565 15 00 × 565 22 00 585 22 00 585 WIDTHALENGTH F RAW MATL.	8.000 5 2.100 f 0.500 f 0.500 f 14.71 f 20.42 f 18.150 f RAW FII (KG)TYPE NO	-700 -740 -740 -500 -74 -500 -74 -500 -74 -500 -74 -500 -74 -500 -74 -500 -74 -500 -74 -500 -74 -500 -74 -740 -740 -740 -740 -740 -740 -74
120	90		9 7 6 5 4 3 2 1 5 4 4 3 2 1 5 5 4 4 3 2 1 1 5 5 7 6 5 7 6 5 7 6 7 7 6 5 7 6 7 7 6 7 7 6 7 7 6 7 7 7 7	CAP CAP CAP TEBMINAL TEBMINAL CENTRE CONDUCTOR CENTRE CONDUCTOR PART NAME PART NAME	THIRD AND	AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY. AL: ALLOY. AL: ALLOY. AL: ALLOY. COF MATL. D. PROJ. TI SCALE N.T.5.	25 20 25 20 25 20 75 12 22 5 16 5 22 5 16 5 22 5 THICKNESS SIZE O	205 × 205 349 × 349 265 × 145 125 × 95 125 × 95 15 00 555 225 00 555 225 00 555 225 00 555 225 00 555 225 00 555 00 555 225 00 555 225 00 555 00 555 00 555 225 00 555 00 555 000 000	8.000 5 2.100 f 0.500 f 0.500 f 0.500 f 14.71 f 20.42 f 18.150 f RAW FII (KG)TYPE NO	700 740 564 500 4 % 500 4 % 500 1.94 1.900 NISHED RMKS
9500/19501 AS PER PEB SE TEST 1.5kg/cm <sup>2</sup> For 30min.	90		9 7 6 5 4 3 2 1 5 4 3 2 1 5 7 6 5 7 6 5 7 6 5 7 6 5 7 6 7 7 6 7 7 6 7 7 7 6 7 7 7 7	CAP CAP CAP TEBMINAL TEBMINAL CENTRE CONDUCTOR CENTRE CONDUCTOR PART NAME PART NAME	THIRD AND	AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY AL: ALLOY. AL: ALLOY. AL: ALLOY. AL: ALLOY. COF MATL. D. PROJ. TI SCALE N.T.5.	25 20 25 20 25 20 75 12 22 5 16 5 22 5 16 5 22 5 THICKNESS SIZE O	205 × 205 349 × 349 265 × 145 125 × 95 125 × 95 15 00 × 565 15 00 × 565 22 00 585 22 00 585 WIDTHALENGTH F RAW MATL.	8.000 5 2.100 f 0.500 f 0.500 f 0.500 f 14.71 f 20.42 f 18.150 f RAW FII (KG)TYPE NO	700 740 564 500 4 % 500 4 % 500 1.94 1.900 NISHED RMKS